

SCHULZ, F.; PUCEKOVA, G.

Hygienic and epidemiological principles in preventing postoperative tetanus. Bratisl. Lek. Listy 42 no.1:44-48 '62.

1. Z Krajskej hygienicko-epidemiologickej stanice v Bratislave,
riaditel' MUDr. F. Schulz.
(TETANUS prev & control) (SURGERY OPERATIVE compl)

SCHULZ, F.; PUCEKOVA, G.; KAUEROVA, V.

Mass survey of infectious hepatitis in the Bratislava region. Lek.
Obzor 2 no.3:137-145 Mar 1953. (CIML 24:5)

NIKECZ, Istvan; KAMOCSA, Sandor; FLESCH, Gyorgy; BANHAZI, Gyula; BANOCZY,
Gyorgy; NAGY, Karoly; KUNFFY, Zoltan, dr.; KOLLER, Kalman; BAUMANN,
Pal; KRAKOWIAK, Sztanislaw (Varso, Lengyelorszag); FUTO, Istvan;
SZABO, Jozsef; FERENCZI, Bela; TIBOLD, Vilmos, dr.; PICHÉR, Odon;
KOVACS, Laszlon; UDVARDI, Kornel

Discussion held in the field of "Rural electrification."
Villamossag 8 no. 56:153-156 My-Je '60.

1. "Villamossag" szerkeszto bizottsagi tagja (for Banoczy).

IOANID, N.; BORS, G.; POPA, I.; ZVINCA, E.; PUCEREA, I.

Study of the injurious substances of the air in steel and iron foundries. Rev. igiena micr. epidem., Bucur. No.2:64-68 April-June 54.

(AIR POLLUTION


in steel & iron foundries, contaminants, determ. of concentration in air)

(INDUSTRIAL HYGIENE

air-sampling in steel & iron foundries for determ. of concentration of contaminants)

F 150. ELIMINATING WATER FROM PRODUCER GAS WITHOUT SUBSTANTIAL REDUCTION OF ITS TAR CONTENT. Puch, J. (Dányász, Kohász. Iap. (J. Min. Smelt.), Sept. 1950, vol. 5, 530; abstr in J. Iron Steel Inst., May 1951, vol. 168, 86). A method of removing water from producer gas is described in which the gas remains in the cooler only for about 10 sec. A considerable part of the water precipitates but the tar remains in the gas. Experiments have been carried out on a laboratory scale with a cooler dealing with 100 cu. m./day requiring about 14 litres/hr of cooling water. About 80% of the water in the gas was removed by this apparatus.

ABM-SLA METALLURGICAL LITERATURE CLASSIFICATION									
SECTION SUBJECT		SUBJECT		COLLECTION		EDITION		ITEM NUMBER	
1	2	3	4	5	6	7	8	9	10
1	2	3	4	5	6	7	8	9	10



CZECHOSLOVAKIA

UDC

616.594-008.9(546.19)-057-074:613.032

PORAZIK, Ivan; LEGATH, Vladimir; PUCHA, Katarina; KRATOCHVIL, Ivan; Krajska Station of Hygiene and Epidemiology, of the Kraj of East Slovakia (Krajska Hygienicko-Epidemiologicka Stanica Východoslovenského Kraja), Košice, Director (Riaditeľ) Dr I. Kratochvil.

"Evaluation of Exposure to Arsenic Trioxide in Working Environment by the Determination of Arsenic Content in Hair."

Prague, Pracovní Lekarství, Vol 18, No 8, Oct 66, pp 352-356

Abstract /Authors' English summary modified/ 7: 21 workmen in a copper-producing plant exposed to an atmosphere containing 1.01 to 5.07 mg of As_2O_3 per cubic meter had a mean arsenic content of hair of 178 micrograms per gram. A group of workers in another plant exposed to concentrations of 0.08 to 0.18 mg/ cubic meter of arsenic trioxide had a mean arsenic concentration in hair of 56.6 micrograms per gram. Unexposed workers had a mean hair content of 0.149 micrograms per gram. The exposure time has little influence on the content of arsenic in the hair, but the amount in the air is most important. The workers did not suffer from clinical arsenic poisoning. 3 Tables, 5 Western, 3 Czech, 2 1/1 East German references. (Manuscript received 20 Aug 65).

"APPROVED FOR RELEASE: 06/15/2000

CIA-RDP86-00513R001343520007-6

KPSSOWSKI B., PUCHACZERSKI Z.

Dźwigi pływające (Floating cranes) by B. Kpssowski and Z. Puchaczerski.
Reported in New Books (Nowe Kaiaski.) March 1, 1956.

APPROVED FOR RELEASE: 06/15/2000

CIA-RDP86-00513R001343520007-6"

9

1523

632.331

Puchaczewski F., Abczyński S. Preliminary Survey with a View to Determining Optimum Conditions for Air-Drying of Peat in the Baltic Zone of Poland.

"Badania wstępne nad ustaleniem optymalnych warunków powietrznego suszenia torfu w nadbałtyckiej strefie Polski". (Prace Ol. Inst. Torf., Katowice, 1951, PWT, 10 pp.)

Hand-cut peat was dried under climatic conditions prevalent in the East Pomerania district. Experiments were carried out with various size peat sods, various methods of stacking them on the turfcart being tried. This work is the prelude to research planned for a six-year period. The purpose is to ascertain the season most opportune for peat exploitation under climatic conditions obtaining in East Pomerania. Different sizes of sods were used, and three different methods of stacking them. The most satisfactory results were obtained during the first drying period, by stacking the sods by the Canadian method. Four trenches were used at various times of the drying period.

*Chemistry & Chemical
Technology*


1004


Puchala, K. Electro-deposition. 3rd ed

„Grawanotechnika”. Warszawa, 1947. Ksieg. Bcia Bogdañszy
18ka, 81, pp. 383, 68 figs.

Theory of electrolysis. Ions. Computation of weight and thickness of electro-deposits. Sources of current. Mechanical processing. Chemical processing. Electro-depositing equipment. Electroplating. Plating with metals without using current. Electroforming. Spray metallising. Electrolytic oxidation of aluminium. Chemical means of colouring metals. First-aid in cases of poisoning. Chemicals

621.357.8 614.8






三


A 53


2


1294. Polar Properties of Certain Hydrogenated Naphthalenes.
M. Prushnik. *Acta Physica Polonica*, 2, 3, pp. 303-310, 1933. *In German.*
 The present investigation continues previous work on the relationship between molecular structure and polarity of naphthalene derivatives (see Abstract, 3374 (1933)), and deals with the polar properties of tetrahydro-naphthalene and α, β -methylene-decahydronaphthalene. The tetralin molecule is found to be a dipole ($\mu = 1.94 \times 10^{-19}$ e.s.u.) in agreement with its asymmetrical formula. The polarization curve for tetralin-benzene solutions exhibits a similarity to the curve for nitrobenzene-benzene solutions. *Cis*- and *Trans*-Decalin do not form dipole molecules, a fact in agreement with previous studies of ordinary decalin.

H. H. Mo.









PROCESSES AND PROPERTIES INDEX

BC

a-1

Dipole moment and chemical structure. M. PUCHALIK (Acta phys. polon., 1935, 4, 145-150; *Chem. Zentr.*, 1936, I, 983-984).—cyclopentene and cyclohexene have moments of 0.97 and 0.75 and of 0.92 and 0.63×10^{-10} e.s.u. in C_6H_{12} and in CCl_4 , respectively. The significance of these and earlier results is discussed in relation to the disposition of double linkings in aromatic structures. H. N. R.

CA

2

Dipole moments and free rotation in molecules. M. Iuchlik (L. Wurytaki Silesian Acad. Med., Rokittnica, Poland). *Acta Phys. Polon.* 10, 93-101(1950)(in English).

To test some consequences of the concept of free inner rotation in mols., the following are investigated: (a) the mean square dipole moments of some members of the series $C_6H_5(CH_2)_nCl$, $C_6H_5(CH_2)_2Cl$, and $C_6H_5(CH_2)_3Cl$ and (b) the temp. dependence of the mean square dipole moment of benzyl chloride. The results appear to confirm the theoretical predictions of Zaha (*C.A.* 26, 4219). The following data are given for the mean square dipole moment: cyclopentyl chloride in CCl_4 , 1.98 D.; cyclopentylmethyl chloride in CCl_4 , 3.35 D.; cyclopentylethyl chloride in CCl_4 , 2.38 D.; benzene chloride in benzene, 1.58 D.; θ -phenylethyl chloride in CCl_4 , 1.92 D.; cyclohexyl chloride in CCl_4 , 2.2 D.; and carvacryl chloride in CCl_4 , 2.1 D. The above calcs. are all $\approx 5\%$.


K. G. Kessler


CA

2

Dipole moment of carbonyl cyanide. M. Puchalik (L. Waryński Silesian Acad. Med., Rokitnica, Poland). "Acta Phys. Polon." 10, 89-92 (1850) (in English). — The compd. has an analogous structure to that of phosgene, and it has been ascertained that in carbonyl cyanide, as in phosgene, there appears a compensation of dipole moments of two strongly polar groups. The mol. polarization at infinite diln. is 64 cm.⁴ and the dipole moment 1.5 D. ± 5%.

K. G. K.





JOZKIEWICZ,S.; STANOSEK,J.; PUCHALIK,M.; GRZESIK,J.

Studies on the effect of sonic and ultrasonic fields on biochemical processes. IX. Effect on total lipid, lipoprotein and protein and protein-fraction levels in the blood of guinea pigs. Acta physiol. polon. no.2:231-236 Mr-Ap '60.

1. Z Zakladu Chemii Fizjologicznej Slaskiej A. M. w Zabru-Rokitnicy, Kierownik: doc. dr S. Jozkiewicz; Z Zakladu Fizyki Lekarskiej Slaskiej A. M. w Zabru-Rokitnicy, Kierownik: prof. dr M. Puchalik; Z Instytutu Medycyny Pracy w Przemysle Weglowym i Hutniczym w Zabru-Rokitnicy, Dyrektor: prof. dr B. Nowakowski.

(SOUND)

(ULTRASONICS)

(LIPIDS blood)

(LIPOPROTEINS blood)

(BLOOD PROTEINS)

PUCHALIK, M.

AR ✓ Relation between parachor and concentration in binary mixtures, and capillary activity. M. Puchalik (Silesia Akad. Med., Rokitnica, Poland). *Bull. Soc. Chim. Fr. Paris Sér. B*, 14, 209-14 (1958) (in German).—The math. conditions for additivity (on the mole fraction basis) of parachor, P , in binary mixts. with respect to P 's of pure components, are formulated; P need not be additive, nor was it found to be. The derivative of P with respect to the mole fraction of a component is discussed. J. Stecki

Distr: 4Ebj

gof

3
1

POLAND / Physical Chemistry. Molecule. Chemical Bond. B-4

Abs Jour: Ref Zhur-Khimiya, No 2, 1959, 3639.

Author : Puchalik, M.

Inst : Not given.

Title : Capillary Activity and the Dependence of the Parachor of Solutions on Concentration.

Orig Pub: Bull. Soc Amis Sci et Lettres Poznan, Bl4,
209-214 (1956-1957 (1958)) (in German).

Abstract: Mathematical analysis has shown that the additivity of the parachor (P) of solutions holds under the condition that $P_1/P_2 = M_1/M_2$, where M_1 and M_2 are the molecular weights of the solvent and of the solute, respectively. This relation holds only in exceptional cases and as a consequence, the P of solutions is not an additive.

Card 1/3

POLAND / Physical Chemistry. Molecule. Chemical Bond. B-4

Abs Jour: Ref Zhur-Khimiya, No 2, 1959, 3639.

Abstract: tive function of the concentration. For the case of solutions of ethyl alcohol and benzene the additivity condition is fulfilled only approximately. In general the author has shown that the P of solutions decreases with increasing concentration when $G > H$, where $G = -d \frac{12}{df_2}$, the capillary activity, and $H = -4 \frac{12}{df_2} \ln \frac{12}{df_2 - (M_2 - M_1)/(M_1 f_1 + M_2 f_2)}$, where γ is the surface tension, d is the density, and f is the mole fraction of the solute. For $G < H$ the P of the solution increases with increasing concentration. At $G = H$, P reaches a minimum. For $G = -4 \frac{12}{df_2} \ln \frac{12}{df_2}$, the P of the solution

Card 2/3

PUCHALEK, M.

Problem of the additivity of paracors of solutions. In German. p.379
ACTA PHYSICA POLONICA. (Polska Akademia Nauk. Komitet Fizyki) Warszawa
Vol. L, no. 5, 1955

Do. European Accessions List Vol. 5, No. 9 September 1956

Puchalik - M.

✓ Additivity of the parachors of solutions. Marian Puchalik. (Schlesische L. Warynski Med. Akad. Rokittnica, Poland). *Acta Phys. Polon.* 14, 379-84 (1955) (in German). —Surface tensions (σ) of solns. of 1-naphthol (I) and 2-naphthol (II) in Et₂O and EtOH were detd. at 20° by the bubble method and used to calc. the parachor (P_{12}) of the solns. With these and older data of P. (C.A. 49, 4370b) and of Harkins and Grafton it is shown that P_{12} is rarely given by $P_{12} = P_1 f_1 + P_2 f_2$ (P_1 and P_2 are the parachor, f_1 and f_2 the mole fraction of solute and solvent). For not too dil. solns. P_{12} can be expressed, depending on the system, by either of the equations: $P_{12} = P_1 f_1 + P_2 f_2^k$ or $P_{12} = K_2 P_1 f_1 + P_2 f_2$, where k and K_2 are consts. H. H. Jaffe

P O L .

✓ Investigation of solutions of strong polar substances in polar and nonpolar solvents. Dependence of surface tension and viscosity on the concentration. M. Puchalki
(Med. Acad. Silesia, Rzeszow, Poland). *Z. Phys. Chem.* 13, 169-181 (1947) (in German). To gain further insight into the nature of solns., the effect of assocn. on the surface-tension σ and viscosity η is considered. σ is detd. by the capillary method, the applicability of which is checked by comparison with results obtained with other methods. η is measured with a Hoeppler viscosity pipet. σ , η , mole fraction of solute, and the parachors are tabulated for the systems: Et₂O, PhNO₂, and EtOH, resp., in C₂H₆ and EtOH, C₂H₅OH, and the 3 isomers of C₃H₇(OH)₂, resp., in H₂O. The systems Et₂N(OH)-H₂O and EtOH-C₂H₆ do not obey $\sigma = \sigma_0 - k\ln(1 + \alpha)$, where α = concn.; the σ vs. α plot of the latter soln. is linear within the exptl. error. It is suggested that the interpretations given by L. K. Shareley (C.A. 46; 5405b) for the vol. contraction of this system account also for the observed deviations here; η continuously increases with increasing α of solute. (In EtOH-H₂O solns. α_{\max} in η is reached, whereas σ decreases with growing α .) Assocn. of EtOH is less pronounced than EtOH-H₂O interaction. The behavior of α -C₃H₇(OH)₂-H₂O solns. cannot be described in this way; cryoscopic dets. do not indicate any measure of assocn. The parachors are strictly additive functions only for EtOH-C₂H₆. *[Handwritten signatures: J. G. and W. G. Rothchild]*

PUCHALIK, M.

"Research on the Relationship between Surface Tension and Viscosity and the Concentration of Strongly Polarizing Liquids in Polarizing and Non Polarizing Solvents."
P. 159,

(ACTA PHYSICA POLONICA, Vol. 13, No. 3, 1954, Warszawa, Poland.)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 3,
No. 12, Dec. 1954, Uncl.

GRZESIK, Jan; JOZKIEWICZ, Stanislaw; PUCHALIK, Marian; STANOSEK, Jozef.

Studies on the effect of acoustic and ultra-acoustic fields on biochemical processes. III. Effect on glutamic-oxalic transaminase and aldolase activity on the blood serum in guinea pigs. Acta physiol pol 12 no.1:129-132 '61.

1. Z Instytutu Medycyny Pracy w Przemyśle Węglowym i Hutniczym w Zabrzu-Rokitnicy Dyrektor: prof. dr B. Nowakowski Z Zakładu Chemii Fizjologicznej Śląskiej Akademii Medycznej w Zabrzu-Rokitnicy Kierownik: doc. dr S. Jozkiewicz Z Zakładu Fizyki Lekarskiej Śląskiej Akademii Medycznej Kierownik: prof. dr. M. Puchalik.
(ALDOLASE blood) (TRANSAMINASES blood)
(SOUNDS) (ULTRASONIC)

PUCHALKA, K.

Distr: 4E2c

✓ *Gypsum as adsorbing agent in potentiometric chromatography*, Zygmunt Doliński, and Krystyna Czechakowa (Institute of Technology, Kraków, Poland). *Zeszyły Nauk. Uniw. Jagiel. Ser. Nauk Mat.-Przyrod., Mat., Fiz., Chem.* No. 3, 147-55 (1957) (English summary).— CaSO_4 was prepd. by a modified Brockmann procedure (*C.A.* 44, 9772b). Add at room temp. the stoichiometric amt. of concd. H_2SO_4 to 30% CaCl_2 , dilg. with water portionwise up to 3 vols., filter after 24 hrs., wash CaSO_4 with water until no Cl^- ions are detected, and dry at either (a) 160° for 25 hrs., (b) 170° for 35 hrs., or (c) 170° for 40 hrs. Solns. (0.001 and 0.1M) in lignoines of valeric, palmitic, and stearic acids with 3 picolinines and 2,6-lutidine were chromatographed with lignoines in a CaSO_4 column, the eluate being examined by an adsorption Sb micro-electrode (cf. Kamleński and Kulawik, *C.A.* 51, 2410a). The presence of bases was reflected by rather large potential changes (several hundreds of mv.) while acids could be detected only in a few cases. Neutral CaSO_4 prepd. after Kahlmann made possible detection of acids, but small potential changes corresponded to presence of bases. CaSO_4 dried by method b or c is better than that by a. J. Stecki

Distr: 4E2c (j) 7

15 / Potentiometric separation of some pyridine bases on
/ cynamum adsorption columns. Zygmunt Doliński and
/ Krystyna Puchalka (Univ. Kraków, Poland). *Zeszyty*
/ Nauk. Univ. Jagiel., Ser. Nauk Mat.-Przyrod., Mat., Fiz.,
/ Chem. No. 3, 157-73 (1957) (English summary).—Binary
mixts. of 3-picoline (I), 4-picoline (II), and 2,6-lutidine (III)
were chromatographed on Brockmann acidic CaSO_4 (*C.A.*
44, 9772b). Ligroine (b. 60-90°) was used as solvent and
eluant, and the eluate was examd. by Sb adsorption micro-
electrode (cf. Kamiński and Kulawik, *C.A.* 51, 2419a).
I and II were sepd. in a column 15-20 cm. high, 0.7 cm.
diam., at $1 \times 10^{-4} M$ concn.; I and III were sepd. in an 11-
cm. column, at $0.01 M$ concn.; sepn. of II and III was dif-
ficult. J. Stecki

5
2 MAY
1

Jeff

KUNIECKI, W., PUCHLAKA, K., and DOLINSKI, Z.

"Using an Antimony Microelectrode for the Potentiometric Chromatography
of Gasoline-Alcohol-Water Solutions,"
Bull. Pol'sk Akad. Nauk, Otd. 3, Vol 1, No 7, pp 297-303, 1953

The antimony electrode can be successfully used for the potentiometric titration of dilute solutions of low acidity of the following non-electrolytes: methyl, n-propyl, n-butyl, and ethyl alcohols and in a mixture of 60% ethyl alcohol, 50% gasoline, and 2% water. When using this mixture, the jump in potential at the equivalence point is especially great. (Kuniecki, No 20, 1954)

Sc: Bur, No 606, 5 Aug 55

PUCHALKA, K.

POLAND / Analytic Chemistry: Analysis of Organic
Substances.

E

Abs Jour: Ref Zhur-Khimija, No 18, 1958, 60728.

Author : Zygmunt Dolinski, Krystyna Puchalka.

Inst : Yagello University (Poland).

Title : Potentiometric Separation of Some Pyridine Com-
pounds on Adsorption Columns of CaSO_4 .

Orig Pub: Zesz. nauk. Uniw. jagiell., 1957, No 14, 157-173.

Abstract: The possibility of chromatographic separation of
3-picoline (I), 4-picoline (II) and 2,6-lutidine
(III) on CaSO_4 depending on the column size, the
concentration of investigated solutions and the
eluation duration was studied. CaSO_4 was prepared

Card 1/2

Puchalka, K.

Application of the antimony microelectrode to potentiometric chromatography in mixed solvents of benzene, alcohol and water.
B. Kamienski, K. Puchalka and Z. Dolinski (Bull. Acad. Polon. Sci., 1953, 1, 297-300). As benzene-alcohol mixtures are often used in adsorption analysis of aq. solutions, experiments were conducted to find if the M-ion concentration in the solutions was such that the Sb electrode could be used. Stearic acid, dissolved in various alcohols and in benzene-alcohol mixtures, was titrated against KOH solution; the potential changes of an Sb electrode in the solution being measured against a calomel electrode. The potential changes found were quite large, especially for the mixed solvents. The potential changes measured with the electrode could not be used to separate mixtures of stearic and oleic acids, dissolved in the mixed solvents, as they passed through a silica gel column, because no separation was found with solutions of higher concentration than 0.001 N.

D. J. C. YATES.

PUCHALKA, K.

2495. The separation of atropine and hyoscyamine by the potentiometric chromatographic method. B. Kamiński and K. Puchalka (*Bull. Acad. Polon. Sci.*, 1963, 1 [7], 305-309).—Alcoholic extracts from the leaves of *Datura stramonium* and the roots of *Atropa belladonna* were diluted until their alkaloid concn. approximately reached 0.001 M. The separation of atropine and hyoscyamine in these soln. was studied. Four ml of each soln. were placed on alumina columns and eluted with either aq. ethanol (60 or 80 per cent.) or a mixture of benzene, water and ethanol (14.5 per cent., 8.5 per cent. and 7.7 per cent., respectively), the antimony micro-electrode being used to measure potential changes in the eluted solution against the vol. of eluate. The most efficient separation was achieved with the benzene-ethanol eluting soln. and a 20-cm column of Merck's alumina. The effect of the degree of alkalinity of the adsorbent is discussed.

N. M. WALLER

PUCHALKA, K.

2539. The application of the antimony micro-electrode to potentiometric chromatography in mixed solvents of benzene, alcohol and water. [Determination of stearic and oleic acids.] B. Kamienski, K. Puchalka and Z. Dolińska (*Bull. Acad. Polon.*, 1964, 19(3, A IV), 297-303).—The antimony micro-electrode is used to detect natural fatty acids in benzene-alcohol media at low concn. Titration curves for stearic acid (approx. 0.01 M) with 0.01 N KOH in methanol, propanol, butanol and ad. ethanol are recorded. The method has been applied to potentiometric chromatographic determinations of stearic and oleic acids at various dilutions separately and together. Efficient separation was achieved at acid concn. of 0.001 M for each acid.
N. M. WALLER

PUCHALKA, Tadeusz

Investigations of nonlinear machine elements in control systems
with particular attention to magnetizing characteristics.
Archiw automat 6 no.1:121-136 '61. (EEAI 10:5)

1. Politechnika Poznanska.
(Automatic control) (Servomechanisms) (Dynamos)

7

POLAND

PUCHALKA, Tadeusz; KLAST, Robert

Dept. of Automation Fundamentals, Poznan Polytechnic
(Zaklad Podstaw Automatyki Politechniki Poznanskiej) (for both)

Warsaw, Archiwum automatyki i telemechaniki, No 2, Apr-Jun 1966,
pp 177-188

"Simple adaptive decision processes."

PUCHALKA, T.; MARLINEK, J.; RUMATOWSKI, K.

Theoretical basis of the optimum control of Ward-Leonard
electric winders. Archiw elektrotech 12 no. 4: 647-667
'63.

1. Politechnika, Poznan.

PUCHALKA, Tadeusz; MARTINEK, Józef

Dynamic analysis of a direct-current series motor. Archiw automat
8 no.1:79-86 '63.

1. Politechnika, Poznań.

PUCHALKA, Tadeusz; KIERZKOWSKI, Zbigniew

Application of the general theory of similitude in studies on
electromechanical systems. Elektryka Poznan no.4:3-26 '63.

22345

P/031/60/005/004/001/005

A224/A126

16,950°

AUTHORS: Puchałka, Tadeusz, and Woźny, Longin

TITLE: An approximate definition of a synchronous motor transfer function

PERIODICAL: Archiwum automatyki i telemechaniki, v. 5, no. 4, 1960,
387-401

TEXT: The authors carry out a theoretical analysis of the operation of a synchronous motor and derive the transfer function for this motor. The transfer function is defined generally as

$$\frac{\Delta i_a}{\Delta U_w} (p)$$

where: i_a = current in amperes; U_w = voltage in volts; p = number of pole pairs. The final formula for the transfer function is based on the finite increment method, known as the first Lyapunov's method. There are 4 fig-

Card 1/2

22346

P/031/60/005/004/001/005
A224/A126

An approximate definition ...

ures and 8 references: 5 Soviet-bloc and 3 non-Soviet-bloc.

SUBMITTED: November 13, 1959

X

Card 2/2

PUCHALKA, Tadeusz, doc. dr. inz.

Approximate determination of the operative transfer function of
direct-current generator with independent excitation and without
load with the help of segment linearization of the curve $E(t)$.
Elektryka Poznan no. 2:3-11 '61.

1. Katedra Podstaw Elektrotechniki, Politechnika, Poznan.

PUCHALKA, Tadeusz, doc. dr. inz.; KIERZKOWSKI, Zbigniew, mgr. inz.

Problems of the theory of similitude and some of its applications.
Elektryka Poznan no. 2:13-38 '61.

1. Katedra Podstaw Elektrotechniki, Politechnika Poznan (for Puchalka),
2. Katedra Sieci Elektrycznych, Politechnika, Poznan, (for Kierzkowski).

PUCHALKA, Tadeusz; WOZNY, Longin

An approximate definition of a synchronous motor transfer function.
Archiw automat 5 no.4:387-401 '60. (EEAI 10:3)
(Electric motors, Synchronous)

MUCHA KA, Tadeusz; WOZNIAK, Antoni

Some applications of the switching theory to synthesis of
conveyer systems in coal mining. Archiw gorn 9 no.3:265-274
'64

MUCHAIKA, Redakcja: M. MIAK, Antoni

Multitact systems of remote control of electric drive of conveying installations. Archiw gorn 9 no.4:413-425 '64.

1. Submitted November 23, 1963.

PUCHALSKA, Bozena

Methods of testing the surfaces of metals by the use of the electron microscope. Postepy fizyki no.2:207-223 '60.

1. Zaklad Fizyki Ogolnej "B", Politechnika Warszawska.

D

P/047/60/011/002/003/003
B021/B064

AUTHOR: Puchalska Bożena

TITLE: Electron Microscopic Methods of Examining Metal Surfaces

PERIODICAL: Postępy Fizyki, 1960, Vol. 11, No. 2, pp. 207-223

TEXT: The present paper deals with the methods of examining metal surfaces with the replica and emission techniques, and compares them on the basis of pictures of chromium- and carbon-steel surfaces. The paper by E. Igras on the electron-mirror technique is also mentioned (Footnote). Fig. 1 gives the scheme of the replica technique. From among the great number of replica techniques only the resin, aluminum, and coal methods are mentioned. Figs. 2 and 3 show the schemes of devices used for pulverizing with coal, and Figs. 4 and 5 show devices used for cathode pulverization. Photograph 1 shows the replica of a nickel surface purified by cathode pulverization, and photograph 2 shows the same replica purified by a chemical method. It may be seen herefrom that the method of cathode pulverization is superior to the chemical method. The emission microscope developed by Ch. Fert

Card 1/3

Electron Microscopic Methods of Examining Metal
Surfaces

P/047/60/011/002/003/003
B02j/B064

contains three magnetic pole-shoe lenses (Fig. 6), and the cathode emits electrons under the effect of ion bombardment. Secondary emission varies for the individual materials (Table 1). The results obtained in the research of electron energy emitted by individual metals are given in Table 2. The pressure dependence of the voltage of the argon-ion flux is shown in Fig. 7. Fig. 8 shows the dependence of the index of secondary emission of different metals on the bombardment energy of argon ions. The use of the immersion electron lens is shown in Figs. 9, 10, and 11. Fig. 12 illustrates the dependence of the resolution of the microscope on electron energy. The effect of a shutter on the increase in resolution may be seen from the photographs 3 (without shutter) and 4 (with shutter). In conclusion the author notes that the emission method of examining metal surfaces is superior to the replica method. In this connection, she bases on her own photographs 5 to 10. Her own photographs 11 to 14 are replica photographs. The same surface examined under the emission microscope is reproduced on the photographs 15 to 17. For studying a metal surface thoroughly, it is necessary to employ both the emission and the replica techniques. By means of the replica and emission techniques it is possible to observe processes that are influenced by mechanical, thermal, electric, and magnetic excitations.

Card 2/3

Electron Microscopic Methods of Examining Metal
Surfaces

P/047/60/011/002/003/003
B021/B054

It is also possible to investigate kinetic processes. There are 17 figures,
2 tables, and 17 references: 10 French, 10 German, 1 British, 3 US, and
1 Belgian.

ASSOCIATION: Zakład Fizyki Ogólnej "B" Politechniki Warszawskiej
(Institute of General Physics "B" of the Warsaw Polytechnic
Institute)

Card 3/3

BRANSKA, K.; KWIATKOWSKI, A.; PUCHALSKA, I.B.

Use of the electron microscope in studies on ferromagnetic powders. Archiw elektrotech 13 no.3:697-711 '64.

1. Department of General Physics B, of the Technical University,
Warsaw.

PUCHALSKI, Feliks, mgr

Moderate and small innovations in the pulp and paper industry during the first half of 1962. Przegl papier 18 no.12:381-382 D '62.

1. Zjednoczenie Przemyslu Celulozowo-Papierniczego, Loda.

PUCHALSKI, F.

"Trends In Industrial Management In The Paper Industry During 1952" p. 119. (Przeglad Papierniczy, Vol. 9, no. 4, Apr. 1953, Lodz)

SO: Monthly List of East European Accessions, Vol. 3, No. 2, Library of Congress, Feb. 1954

PUCHALSKI, A.

Pomiary w Łączności Dalekosiecznej (Measurements in Long-distance Communications).
Warsaw: Wydawnictwa Ministerstwa Obrony Narodowej, 1955.

(Transl. from Russian: Izmereniya v Dal'ney Svyazi. Moskva, 1952.)

PUCHALSKI, M.

Rhythm in production and methods of measuring it, p. 224. (PRZEGLAD SKORZANY, Lodz,
Vol. 8, no. 9, Sept. 1953.)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, No. 4, Jan. 1955,
Uncl.

PUCHALSKI, Tadeusz, inz.

Sources of the harmful influence on telecommunication lines
and installations by D.C. electric traction lines. Przegl
kolej elektrotechn 15 no. 6:162-165 Je '63.

PUCHALSKI, Tadeusz, mgr inż.

Causes of harmful interference of D.C. electric traction lines
in telecommunication networks and installations. Pt.1.
Przegl kolej elektrotech 15 no.2:33-36 F '63.

PUCHALSKI, Tadeusz,)mgr inz.

Sources of the D.C. electric traction lines harmfully affecting the
telecommunication networks and installations. Pt. 2. Przegl kolej
elektrotech 15 no.4:89-95 Ap '63.

FUCHALSKI, Tadeusz, mgr., inz.

New types of porcelain and glass insulators for telecommunication lines. Przegl kolej elektrotechn 13 no.7:198-201'61.

SIKORSKA-KRZYZANOWSKA, Klementyna; FUCHALSKI, Tadeusz; POSZKOWSKA, Konstancja

Eosinophilia in the course of fibroblastic parietal endocarditis.
Wiad. lek. 18 no.10:851-856 1965.

1. Z Kliniki Chorob Wewnętrznych Studium Doskonalenia Lekarzy
w AM w Warszawie (Kierownik: prof. dr. med. E. Ruzyłło).

SIKORSKA-KRZYZANOWSKA, Klementyna; PUCHALSKI, Tadeusz; ROSZKOWSKA,
Konstancja; POCZTARSKA, Jolanta

Problems in the treatment of staphylococcal septicemia with
report of a case. Pol. tyg. lek. 18 no.4:144-148 21 Ja '63.

1. Z II Kliniki Chorob Wewnetrznych AM w Warszawie; kierownik:
doc. dr med. E. Ruzyllo.
(STAPH INFECTIONS) (SEPTICEMIA)
(ANTIBIOTICS)

P. GAWLIK, Małgorzata; M. J. M., Alicja; MIAŁK, Alicja

Effect of the administration of ACTH on the corticosterone level
in blood serum of the adrenal vein of white rats. A bio-chemical
method for the determination of ACTH. Endokr. Pol. 15 no.1: 107-
117. Warszawa.

W. W. Klinikię Chorób Nierwowych Szpital Doktorski Lekarzy
Medycznych im. gen. J. Wieliszewskiego w Warszawie (Kierownik: prof. dr. E. Rzywilej)
i w Klinice Endokrynologicznej Akademii Medycznej w Warszawie (Kierownik:
prof. dr. hab. n. med. T. Lewandowska-Majewska).

PUCHALEK, K.; DOLINSKI, Z.; KALIEWSKI, B.

"The Application of the Antimony Microelectrode to Potentiometric Chromatography in Mixed Solvents of Benzine, Alcohol, and Water." P. 297,
(GEODEZJA I KARTOGRAFIA, Vol. 1, No. 7, 1953. In English. Warszawa, Poland.)
(Polska Akademia Nauk.)

SO: Monthly List of East European Accessions, (SEAL), LC, Vol.3,
No. 12, Dec. 1954, Uncl.

PUCHALKA,K.

5

*Separation of atropine and hyoscyamine by the potentiometric chromatographic method. B. Kamienski and K. Puchalka (Bull. Acad. polon. Sci., 1953, I, 305-309).—Alcoholic extracts were prepared from the leaves of *Datura stramonium* and *Atropa belladonna*, the resulting concentration of the alkaloids being approximately 0.001 N. The solutions were analysed on alumina columns. Potential changes were measured with the antimony microelectrode on the solutions as they emerged from the adsorption column, graphs giving the potential as a function of volume of solution passing through the column are given. Atropine could be separated from hyoscyamine by the use of a mixed solvent containing benzene, alcohol, and water.*

D. J. C. YATES.)

PUCHALA, K.; KARIECKI, B.

"The Separation of Atropine and Hyoscyamine by the Potentiometric Chromatographic Method." P. 305.
(GEODEZJA I KARTOGRAFIA, Vol. 1, No. 7, 1953, In English. Warszawa, Poland.)
(Polska Akademia Nauk.)

SO: Monthly List of East European Accessions, (EEAL), LU, Vol. 3,
No. 12, Dec. 1954, Uncl.

"APPROVED FOR RELEASE: 06/15/2000

CIA-RDP86-00513R001343520007-6


WILLIAMS, L.; SCHWILZ, R.

"Production of the Automatic Drawing of Coal Mining Diagrams", p. 26,
(MINISTERSTWO GOSPODARCZE-ZMIEN, Vol. 14, No. 2, February 1954, Warsaw,
Poland)

SC: Monthly List of East European Acquisitions (EHAL), LC, Vol. 4, No. 3,
March 1955, Urcl.

APPROVED FOR RELEASE: 06/15/2000

CIA-RDP86-00513R001343520007-6"



PRZEGŁAD KOLEJOWY, I.

Progress and experiences in the mechanization of the fight against snow and frost.

p. 227 (Przeglad Kolejowy Krogowy. Vol. 8, no. 10, Oct. 1956. Warszawa, Poland)

Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 2,
February 1958

PUCHALSKI, A.

For better exploitation of suburban lines. p.81

Functioning of mechanized trains in case of continuously changing railroad transportation. p. 116 PRZEGŁAD KOLEJOWY (Wydawnictwa Komunikacyjne) Warszawa. Vol. 7, no. 3, Mar. 1955

SOURCE: East European Accessions List, (EEAL), Library of Congress,
Vol. 4, no. 12, December 1955

PUCHALSKI, Tadeusz, mgr inz.

Causes of harmful interference of D.C. electric traction lines in
telecommunication lines and installations. Przegl kolej elektrotech
15 no. 5:140-144 My '63.

PUCHALSKI, Tadeusz, mgr inz.

The way the alternate current electric traction line of
industrial frequency affects neighboring lines and
installations of wire telecommunication. Przegl kolej
elektrotech 13 no.5:139-150 5 My '61.

SWIT, Hanna; PUCHALSKI, Tadeusz

Effect of methylthiouracil on the leukocytes. Pol. tyg. lek. 17 no.13:
484-488 26 Mr '62.

l. Z II Kliniki Chorob Wewnetrznych Studium Doskonalenia Lekarzy AM
w Warszawie; kierownik: doc. dr med. E. Ruzyllo i z Wojewodzkiej
Poradni Endokrynologicznej, kierownik: lek. H. Lamers.

(LEUKOCYTES pharmacol) (THIOURACIL rel cpds)

PUCHALSKI, Zbigniew

Annular pancreas. Wiad. lek. 18 no.14:1193-1195 15 Jl '65.

1. Z I Kliniki Chirurg. AM w Białymostku (Kierownik: prof.
dr. F. Olenski [deceased]).

PUCHALSKI, A.

Good-quality pulp for paper mills. Tr. from the Russian. p. 269. (PRZEGLAD
PAPIERNICZY, Vol. 10, No. 9, Sept. 1954, Lodz, Poland)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 3, No. 12, Dec.
1954, Uncl.

1ST AND 2ND QUARTERS										3RD AND 4TH QUARTERS										
PROCESSES AND PROPERTIES INDEX										7										
COPPER ELECTROLYSIS	CA																			
	Polarographic method for the analysis of nickel-plating of 0.3% gelatin soln. to 5-10 ml. of this soln. in the electrolyte. V. S. Belava, N. I. Puchenkina, and I. A. Kor' - electrolyzer and det. Ni polarographically by means of a calomel bath. Sov'et State University, Zavodskoye Lab. 11, 044 8 titration curve. To det. sulfate in Ni-plating electrolytes, Shunov (Gov'tal State University, Zavodskoye Lab. 11, 044 8 titration curve. To det. sulfate in Ni-plating electrolytes, (1945). Todez. Zn ⁺⁺ in Ni-plating electrolytes, neutralize add 1.5-3.0 ml. of water to 6 ml. of the electrolyte, 100 ml. of the electrolyte with 2.5% NH ₄ OH (to litmus observe the position of the galvanometer reading; add paper), add 8-10 ml. of 0.1 N HCl until a piece of Congo 0.5 ml. of 0.5-1.0 N Pb(NO ₃) ₂ , mix the contents with a red paper acquires a brown color, heat to 80-90°, pass H ₂ S current of H ₂ , measure the height of the Pb wave, and con-																			
OPEN INDUSTRY	slowly, let the ppt. stand in a warm place for 2-3 hrs., draw a curve, plotting the strength of the diffusion curve filter the sulfides, wash the ppt. on the filter with H ₂ S on the Y-axis and the no. of ml. of Pb(NO ₃) ₂ added on the water, treat with 20 ml. of HCl (1:8), collecting the X-axis. The diffusion current values form a straight line, filtrate in a 50-ml. measuring flask, wash the filter several times with hot water, collecting all wash waters in the vol. of Pb(NO ₃) ₂ required to ppt. all sulfate in the soln. same flask, boil the contents of the flask (to remove H ₂ S). The concn. of sulfate in g./l. is given by 18.01 N V ₁ /V ₂ . Bring the vol. of the soln. to 15-20 ml., cool, and add 25 (48.03 is the g.-equiv. of SO ₄ ²⁻) N the normality of the ml. of 2 N NaOH and water to the mark; add a crystal Pb(NO ₃) ₂ used for the titration, V ₁ the quantity of Pb of Na ₂ SO ₄ to 5-10 ml. of the soln. in the electrolyzer (to (NO ₃) ₂ required to react with all SO ₄ ²⁻ sulfate (detd. by the remove dissolved O), and det. Zn polarographically by curve (in ml., V the quantity of the Ni electrolyte used for the titration in ml.). The time required to det. Zn polarographically is 4-5 hrs., instead of 10-12 hrs., required for chem. analysis. The accuracy of the analysis is considerably higher. Detns. of Pb ⁺⁺ and Cd ⁺⁺ require 40-50 min. and of sulfate 1.5-2.0 hrs. instead of 3-4 hrs. The quantity of reagents required is considerably smaller. Five references. W. R. Henn																			
	ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION										E27-12-1972									
18001-18002199										18003-18003199										
18000-18000199										18004-18004199										
18005-18005199										18006-18006199										
18007-18007199										18008-18008199										
18009-18009199										180010-180010199										
180011-180011199										180012-180012199										
180013-180013199										180014-180014199										
180015-180015199										180016-180016199										
180017-180017199										180018-180018199										
180019-180019199										180020-180020199										
180021-180021199										180022-180022199										
180023-180023199										180024-180024199										
180025-180025199										180026-180026199										
180027-180027199										180028-180028199										
180029-180029199										180030-180030199										
180031-180031199										180032-180032199										
180033-180033199										180034-180034199										
180035-180035199										180036-180036199										
180037-180037199										180038-180038199										
180039-180039199										180040-180040199										
180041-180041199										180042-180042199										
180043-180043199										180044-180044199										
180045-180045199										180046-180046199										
180047-180047199										180048-180048199										
180049-180049199										180050-180050199										
180051-180051199										180052-180052199										
180053-180053199										180054-180054199										
180055-180055199										180056-180056199										
180057-180057199										180058-180058199										
180059-180059199										180060-180060199										
180061-180061199										180062-180062199										
180063-180063199										180064-180064199										
180065-180065199										180066-180066199										
180067-180067199										180068-180068199										
180069-180069199										180070-180070199										
180071-180071199										180072-180072199										
180073-180073199										180074-180074199										
180075-180075199										180076-180076199										
180077-180077199										180078-180078199										
180079-180079199										180080-180080199										
180081-180081199										180082-180082199										
180083-180083199										180084-180084199										
180085-180085199										180086-180086199										
180087-180087199										180088-180088199										
180089-180089199										180090-180090199										
180091-180091199										180092-180092199										
180093-180093199										180094-180094199										
180095-180095199										180096-180096199										
180097-180097199										180098-180098199										
180099-180099199										180100-180100199										
180101-180101199										180102-180102199										
180103-180103199										180104-180104199										
180105-180105199										180106-180106199										
180107-180107199										180108-180108199										
180109-180109199										180110-180110199										
180111-180111199										180112-180112199										
180113-180113199										180114-180114199										
180115-180115199										180116-180116199										
180117-180117199										180118-180118199										
180119-180119199										180120-180120199										
180121-180121199										180122-180122199										
180123-180123199										180124-180124199										
180125-180125199										180126-180126199										
180127-180127199										180128-180128199										
180129-180129199										180130-180130199										
180131-180131199										180132-180132199										
180133-180133199										180134-180134199										
180135-180135199										180136-180136199										
180137-180137199										180138-180138199										
180139-180139199										180140-180140199										
180141-180141199										180142-180142199										
180143-180143199										180144-180144199										
180145-180145199										180146-180146199										
180147-180147199										180148-180148199										
180149-180149199										180150-180150199										
180151-180151199										180152-180152199										
180153-180153199										180154-180154199										
180155-180155199										180156-180156199										
180157-180157199										180158-180158199										
180159-180159199										180160-180160199										
180161-180161199										180162-180162199										
180163-180163199										180164-180164199										
180165-180165199										180166-180166199										
180167-180167199										180168-180168199										
180169-180169199										180170-180170199										
180171-180171199										180172-180172199										
180173-180173199										180174-180174199										
180175-180175199										180176-180176199										
180177-180177199										180178-180178199										
180179-180179199										180180-180180199										
180181-180181199										180182-180182199										
180183-180183199										180184-180184199										
180185-180185199										180186-180186199										
180187-180187199										180188-180188199										
180189-180189199										180190-180190199										
180191-180191199										180192-180192199										
180193-180193199										180194-180194199										
180195-180195199										180196-180196199										
180197-180197199										180198-180198199										
180199-180199199										180200-180200199										
180201-180201199										180202-180202199										
180203-180203199										180204-180204199										
180205-180205199										180206-180206199										
180207-180207199										180208-180208199										
180209-180209199										180210-180210199										
180211-180211199										180212-180212199										
180213-180213199										180214-180214199										
180215-180215199										180216-180216199										
180217-180217199										180218-180218199										
180219-180219199										180220-180220199										
180221-180221199										180222-180222199										
180223-180223199										180224-180224199										
180225-180225199										180226-180226199										
180227-180227199										180228-180228199										
180229-180229199										180230-180230199										
180231-180231199										180232-180232199										
180233-180233199										180234-180234199										
180235-180235199										180236-180236199										
180237-180237199										180238-180238199										
180239-180239199										180240-180240199										
180241-180241199										180242-180242199										
180243-180243199										180244-180244199										
180245-180245199										180246-180246199										
180247-180247199										180248-180248199										
180249-180249199										180250-180250199										
180251-180251199										180252-180252199										
180253-180253199										180254-180254199										
180255-180255199										180256-180256199										
180257-180257199										180258-180258199										
180259-180259199										180260-180260199										
180261-180261199										180262-180262199										
180263-180263199										180264-180264199										
180265-180265199										180266-180266199										
180267-180267199										180268-180268199										
180269-180269199										180270-180270199										
180271-180271199										180272-180272199										
180273-180273199										180274-180274199										
180275-180275199										180276-180276199										
180277-180277199										180278-180278199										
180279-180279199										180280-180280199										
180281-180281199										180282-180282199										
180283-180283199										180284-180284199										
180285-180285199										180286-180286199										
180287-180287199										180288-180288199										
180289-180289199										180290-180290199										
180291-180291199										180292-180292199										
180293-180293199										180294-180294199										
180295-180295199										180296-180296199										
180297-180297199										180298-180298199										
180299-180299199										180300-180300199										
180301-180301199										180302-180302199										
180303-180303199										180304-180304199										
180305-180305199										180306-180306199										
180307-180307199										180308-180308199										
180309-180309199										180310-180310199										
180311-180311199										180312-180312199										
180313-180313199										180314-180314199										
180315-180315199										180316-180316199										
180317-180317199										180318-180318199										
180319-180319199										180320-180320199										
180321-180321199										180322-180322199										
180323-180323199										180324-180324199										
180325-180325199										180326-180326199										
180327-180327199										180328-180328199										
180329-180329199										180330-180330199										
180331-180331199										180332-180332199										
180333-180333199										180334-180334199										
180335-180335199										180336-180336199										
180337-180337199										180338-180338199										
180339-180339199										180340-180340199										
180341-180341199										180342-180342199										
180343-180343199										180344-180344199										
180345-180345199										180346-180346199										
180347-180347199										180348-180348199										
180349-180349199										180350-180350199										
180351-180351199										180352-180352199										
180353-180353199										180354-180354199										
180355-180355199										180356-180356199										
180357-180357199										180358-180358199										
180359-180359199										180360-180360199										
180361-180361199										180362-180362199										
180363-180363199										180364-180364199										
180365-180365199										180366-180366199										
180367-180367199										180368-180368199										
180369-18036																				

S/196/62/000/002/005/023
E194/E155

AUTHOR: Puchalski, Tadeusz
TITLE: New types of porcelain and glass insulators for
communications lines
PERIODICAL: Referativnyy zhurnal, Elektrotehnika i energetika.
no. 2, 1962, 6, abstract 2B 34. (Przegl. kolejowy
elektrotechn., v. 13, no. 7, 1961, 198-200) (Polish).
TEXT: Information is given about the dimensions, weight and
mechanical and electrical properties of insulators for overhead
communication lines of the Polish railways developed in the
Institut svyazi (Communications Institute) of PNR. The dimensions
of two of the standard insulators were reduced, giving a weight
reduction of 29-43% and corresponding economy in raw materials,
packing and delivery costs. At the same time the mechanical
properties and resistance to thermal shock of the insulators were
improved. The new insulators surpassed the requirements of the
Polish standards in respect of shear strength and electrical
resistance. The new insulators are suitable for carrier
resistance. ✓
Card 1/2

PUCHALSKI, Tadeusz

Statistical analysis of the tonnage structure of the merchant fleet 1952-1959. Gosp morska no. 4: 81-107 '60.

POLAND

SIKORSKA-KRZYZANOWSKA, Klementyna, PUCHALSKI, Tadeusz,
ROSZKOWSKA, Konstancja, and POCZTARSKA, Jolanta, Second
Clinic of Internal Diseases (II Klinika Chorob Wewnętrznych),
AM [Akademia Medyczna, Medical Academy] in Warsaw (Direct-
or: Docent, Dr. med. E. RUZYLLO)

"On the Treatment of Staphylococcal Sepsis. Case Report."

Warsaw, Polski Tygodnik Lekarski, Vol 18, No 4, 21 Jan 63,
pp 144-145.

Abstract: [Authors' English summary] A case of severe
staphylococcal sepsis is reported. The problems of re-
sistance and immunity were considered, and the treatment
was based on the choice of proper bacteriocides and bacterio-
statics. Complete healing was achieved. Of the 39 referen-
ces, 25 are Polish and 14 are English.

1/1

PUCHALSKI, T.

Calculation of the magnitude of influence of power transmission lines on
overhead telecommunication lines. p. 180.
(PRZEGŁAD KOLEJOWY ELEKTROTECHNICZNY. Vol. 8, no. 6, June 1956, Warszawa, Poland)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, No. 12, Dec. 1957.
Uncl.

PUCHALSKI, T.

Calculation of the magnitude of influence of power transmission lines on overhead telecommunication lines. Pt. 5. p. 237. (Przeglad Kolejowy Elektrotechniczny, Vol. 9, No. 8, Aug 1956, Warsaw, Poland)

SC: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 8, Aug 1957. Uncl.

PUCHALSKI, T.

Measurements of disturbances in the overhead telecommunication lines of the
Lodz Railroad District. p. 168.

PRZEGŁAD KOLEJOWY ELEKTROTECHNICZNY. (Wydawnictwa Komunikacyjne) Warszawa,
Poland, Vol. 11, no. 6, June 1959.

Monthly list of East European Accessions (EEAI) LC, Vol. 9, no. 1, Jan. 1960.

Uncl.

PL - 1956

PUCHALSKI, T.

Calculation of the degree of influence of power transmission lines on overhead telecommunication lines. Pt. 2.

p. 137 (Przeglad Kolejowy Elektrotechniczny. Vol. 8, no. 5, May 1956. Warszawa, Poland)

Monthly Index of East European Accessions(EE'I) LC. Vol. 7, no. 2,
February 1958

PUCHALSKI, T.

PUCHALSKI, T. Calculation of the degree of influence of power transmission lines on overhead telecommunication lines. p. 108
Let us study the Rules of Technical Management of Railroads. Section 4
p. 110

Vol. 8, no. 4, Apr. 1956
PRZEGIAD KOLEJOWY ELEKTRYCZNY
TECHNOLCGY
Warszawa, Poland

So: East European Accession Vol. 6, no. 2, 1957

PUCHALSKI, WLODZIMIERZ.

Wsrod trzcin i wod. Warszawa, Nasza Ksiegarnia, 1955. 176, (3) p. (In the middle
of reeds and water. illus.) MiD Not in DLC Poland

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

PUCHALA, W.

A visit with friends, Soviet cooperationists. (To be contd.)

p. 3 (Rolnik Spoldzielca. Vol. 9 (i.e. 10) no. 45, Nov. 1957. Warszaw, Poland)

Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 2,
February 1948

PUCHLISKI, W.

A visit with the Russian friends-cooperationists.

p. 3 (Relink Spoldzielca. Vcl. 9 (i.e. 10) no. 46, Nov. 1957. Warszaw, Poland)

Monthly Index of East European Accessions (EEAI) IC. Vol. 7, no. 2,
February 1958

KUCHALSKI, W.

Olsztyn Voivodeship before the 2d Congress. p. 2.
(ROLNIK SPOLDZIELCA. Vol. 9, no. 8, Feb. 1956)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 6, June 1957, Uncl.

PUCHALSKI, WLODZIMERZ

"In the country of the swan"

p. 129 (Nasza Ksiegarnia, 1956, Warsaw, Poland)

Monthly Index of East European Accessions (EEAI) LC, Vol. 8, No. 1, Jan. 59.

ACC NR: AP6033475

SOURCE CODE: UR/0413/66/000/018/0061/0061

INVENTOR: Novoderezhkin, V. V.; Kolobova, V. I.; Manoim, G. I.; Porshnyakova, Z. S.; Pucheglazova, I. I.; Izraileva, E. S.

ORG: none

TITLE: Method of producing positive electrodes of dry-charged lead-acid storage batteries. Class 21, No. 185989

SOURCE: Izobret prom obraz tov zn, no. 18, 1966, 61

TOPIC TAGS: storage battery, battery component, positive electrode, lead oxide, electrode design

ABSTRACT: An Author Certificate has been issued for a method of producing positive electrodes by pasting, drying, forming, neutralizing the acid, and hot-air drying them in multizone continuous-motion dryers. To simplify production technology, the acid is neutralized during the drying process by lead oxide contained in the active material. Drying takes place at a temperature up to 200C, with relative air humidity not over 30%, and with 5-6 m/sec air velocity for 15 to 20 min. Air temperature is then reduced to 100C-120C, and the process is maintained at this temperature for 5 to 7 minutes.

SUB CODE: 10/ SUBM DATE: 08May65/

Card 1/1

UDC: 621.3.035.23:66.047.3

82796

S/124/60/000/004/001/027
A005/A001*24.4000*

Translation from: Referativnyy zhurnal, Mekhanika, 1960, No. 4, pp. 8-9, # 4247

AUTHOR:

Puchenkin, G.N.

TITLE:

Investigation of the Spin of an Imperfectly-Symmetrical Projectile

PERIODICAL: Tr. Leningr. voyen.-mekhan. in-t, 1957, No. 6, pp. 409-425

TEXT: The spin of an imperfectly-symmetrical projectile is considered; the projectile is a body of revolution, the axis of which coincides with one of the primary central axes of the inertia ellipsoid, whereat it is assumed that $\lambda = (C-B)/A$ may not be a small quantity (A is the moment of inertia with reference to the projectile revolution axis, B and C are the moments of inertia with reference to the primary equatorial axes). The angle δ between the tangent and the projectile axis is considered to be small ($\sin \delta = \operatorname{tg} \delta = \delta$, $\cos \delta = 1$). The problem is reduced to the investigation of the functional dependences $\delta_1(t)$, $\delta_2(t)$, $\delta_3(t)$, and $\theta(t)$, where $\delta_1(t)$ are the angles describing the position of the projectile with reference to the coordinate system Ox_1y_{121} that moves translationally with the projectile inertia center, $\theta(t)$ is the angle between the trajectory tangent and the axis Ox_1 . The projectile spin equations are derived under certain

Card 1/2


AlChM, Leningrad

on; problem in the theory of nonlinear vibrations. (Vibrations)
Act. Polytech. Szeged, 15, no. 1, p. 1-14, 1931. (MIRA 1, 10)
(Vibration)
(Differential equations)

Polarographic Method for the Analysis of Nickel-Plating Baths. V. R. Belaya, N. I. Pashenkin, and I. A. Korshunov (*Zarad. Lab.*, 1943, 11, 644-648; *C. Abstr.*, 1946, 66, 2763).—[In Russian.] To determine Zn^{2+} in Ni-plating electrolytes, neutralize 100 ml. of the electrolyte with 2-3% NH_4OH (to litmus paper), add 8-10 ml. of 0.1N-HCl until a piece of Congo red paper acquires a brown colour, heat to 50°-60° C., pass H_2 slowly, let the precipitate stand in a warm place for 2-3 hr., filter the sulphides, wash the precipitate on the filter with H_2O water, treat with 20 ml. of HCl (1 : 5), collecting the filtrate in a 50-ml. measuring flask, wash the filter several times with hot water, collecting all wash waters in the same flask, boil the contents of the flask (to remove H_2S), bring the vol. of the solution to 15-20 ml., cool, and add 25 ml. of 2N-NaOH and water to the mark; add a crystal of Na_2SO_3 to 3-10 ml. of the solution in the electrolyser (to remove dissolved O₂), and determine the Zn polarographically by means of a curve constructed with the Zn concentration plotted on the X-axis and the height of the Zn wave on the Y-axis. To determine Pb^{2+} and Cd^{2+} in Ni plating electrolytes, place 1-2 g. of NH_4 citrate in a 25-ml. measuring flask, add the electrolyte to the mark; pass H_2 through 5-10 ml. of the solution in the electrolyser for 10-20 min., and make a polarogram. The polarization curve has 2 waves, corresponding to the reduction of Pb and Cd, respectively. The Pb and Cd contents are determined by calibration curves. To determine Ni in Ni plating electrolytes, pour 1 ml. of the electrolyte, 10 ml. of 4N- NH_4OH , and 50 ml. of NH_4Cl in a 100-ml. measuring flask, and add water to the mark; add 1 ml. of 0.5% gelatin solution to 5-10 ml. of this solution in the electrolyser and determine the Ni polarographically by means of a calibration curve. To determine sulphate in Ni-plating electrolytes, add 1.5-3.0 ml. of water to 1-6 ml. of the electrolyte and observe the position of

APPROVED FOR RELEASE: 06/15/2000

CIA-RDP86-00513R001343520007-6"



PUCHENKOV, Aleksandr Petrovich, mekhanik; SHLIPPE, Igor' Sergeyevich,
kandidat tekhnicheskikh nauk; NIKITIN, A.G., redaktor; GA-
IAKTIONOVA, Ye.N., tekhnicheskiy redaktor

[Servicing and regulating electric equipment of automobiles]
Obsluzhivanie i regulirovka elektrooborudovaniia avtomobilei.
Izd. 2-oe, ispr. i dop. Moskva, Nauchno-tekhn. izd-vo avtotransportnoi lit-ry, 1955. 126 p.
(MIRA 9:4)
(Automobiles--Electric equipment)

PUCHER, JOZEF

POL. A

"Chromatographic sulfonamide separation. Jozef Pucher (Acad. Med., Poznań, Poland). *Farm. Polona* 10, 15-17 (1954).—Twelve-cm. filter-paper strips are cut at sharp angles at their lower ends. Clearness of demarkation zones, but also time necessary for sepn., increases with the angle of the cut. If the strip is 12 cm. long, the arms of the angle 2.5 cm., and the distance between the two arms 1 mm. at the lowest point, the time required for sepn. increases to 9-9 hrs. The sepn. lines are very distinct. A. H. K.